


8265/8290
Color Wide
Format Printer



Xerox 8265™ / 8290™
Color Wide Format Printer
Versatility inside and out.



Grow your business with an all-around great performer.

Get the ultimate in versatility for high-speed printing of long-lasting indoor and outdoor materials. With the Xerox 8265/8290 Color Wide Format Printer, you can print vibrant, durable color to satisfy your most discerning customers. It delivers superior image quality on a range of media while lowering your total cost of operation. Choose the image resolution and printing speed you need—you'll boost productivity with a system designed for reliable, unattended operation.

One printer, many applications. From low-cost uncoated vinyl for long-wearing outdoor applications to high-quality coated media for visually dynamic indoor applications, the 8265/8290 has you covered. You can print eye-catching color on a large variety of substrates to meet the needs of a wide range of customers. Now that's what we call versatility. It's good for productivity. Good for image quality. Good for your business.



Speed with ease of use.

Increase your productivity with unattended printing, minimal maintenance, low running costs, and the day-in, day-out reliability that you know you can depend on from Xerox printers. Automated onboard self-maintenance and ultra eco-solvent ink systems require minimal operator intervention. The latest Piezo-electric Drop-on-Demand inkjet heads deliver higher firing frequencies, resulting in faster print speeds—up to 452 ft²/hr (42 m²/hr)—while four-color printing doubles the number of print heads per color. It's technology that increases productivity without compromising quality.

Indoor quality with outdoor durability.

By adjusting the size of ink droplets, the 8265/8290 delivers optimized sharpness, fine details, smooth gradations, excellent drying results, and lower ink consumption. Plus, environmentally friendly inks allow you to print a gamut of colors usually only seen on water-based inkjets. You'll get waterproof, abrasion-resistant, and UV-stable prints that last up to three years without any form of protection.

The total support you need.

Xerox supports your entire solution, from printer to media and consumables. A worldwide network of award-winning service professionals is always ready to help you make the most of your Xerox solution, and help you grow your business.


Our guarantee is the leader in the industry. The Xerox Total Satisfaction Guarantee applies to equipment under a Xerox warranty or Xerox maintenance agreement, subject to certain restrictions.

Designed for demanding wide format applications like these:

- Posters
- Banners
- Signs
- Point-of-purchase displays
- Wall murals
- Trade show exhibits
- Conference/event exhibits
- Vehicle graphics
- Floor graphics
- Presentation graphics
- Back-lit displays
- Flags
- Stage graphics
- Stickers



The combination of the latest Piezo-electric inkjet technology and environmentally friendly inks enable more vibrant colors and a greater color gamut.



Intelligent Interweaving Print Technology allows for increased print speed; delivers exceptional image quality; and minimizes banding, ink mottle, and bleed.



Intuitive user interface facilitates production-level needs.



The 8265/8290 RIP is powerful but easy to use and designed for optimum performance.



Print onto a wide range of media, including low-cost uncoated vinyls and high-quality coated media.



Standard motorized winder/unwinder systems and bulk media rolls are designed for unattended printing environments.

Xerox 8265/8290

Color Wide Format Printer

Print Engine

Print Speeds by Resolution and Print Mode

- 360 x 360 dpi, Quality—Production Speeds:
 - 2 x 4 (2xCMYK): 65–452 ft²/hr (6–42 m²/hr)
 - 6-Color (CMYKLCm): 32–237 ft²/hr (3–22 m²/hr)
- 360 x 720 dpi, Quality—Production Speeds:
 - 2 x 4 (2xCMYK): 62–245 ft²/hr (5.7–22.6 m²/hr)
 - 6-Color (CMYKLCm): 31–124 ft²/hr (2.9–11.5 m²/hr)
- 540 x 720 dpi, Quality—Production Speeds:
 - 2 x 4 (2xCMYK): 43–172 ft²/hr (4–16 m²/hr)
 - 6-Color (CMYKLCm): 27–86 ft²/hr (2.5–8 m²/hr)
- 720 x 720 dpi, Quality—Production Speeds:
 - 2 x 4 (2xCMYK): 32–140 ft²/hr (3–13 m²/hr)
 - 6-Color (CMYKLCm): 16–70 ft²/hr (1.5–6.5 m²/hr)
- 1,440 x 1,440 dpi, Quality—Production Speeds:
 - 2 x 4 (2xCMYK): 16–32 ft²/hr (1.5–3 m²/hr)
 - 6-Color (CMYKLCm): 9–17 ft²/hr (0.8–1.6 m²/hr)

Printhead Technology

Piezo-electric Drop-on-Demand Inkjet Heads with Dynamic Variable Dot Imaging Technology (360 nozzles/color)

Ink

- 2 x 4 (2xCMYK) Eco-Solvent Ultra Ink
 - 440 ml cartridge
- 6-Color (CMYKLCm) Eco-Solvent Ultra Ink
 - 440 ml cartridge

Resolution

360 x 360, 360 x 720, 540 x 720, 720 x 720, 1,440 x 1,440

Media Handling

Fully Motorized Winder/Unwinder 100, Foot Switch and Feeder System with Media Cutter; supports both 2" (50.8 mm) and 3" (76.2 mm) core media and single sheet

Max. Print Length

- 150' (45.72 m)

Max. Print Width

- 8290: 88.5" (2,250 mm), 5 mm minimum margin
- 8265: 64.6" (1,641 mm), 5 mm minimum margin

Media Width Range

- 8290: Up to 89.76" (2,280 mm)
- 8265: Up to 64.57" (1,653 mm)

Media Thickness

- 0.00315–0.0433" (0.08–1.1 mm)

Head Height

- Automatic Media Thickness Compensation

Built-In Heater

- 4 Digitally Controlled Heating Elements

Interfaces

- Ethernet TCP/IP 10/100

Media

Whatever your wide format printing needs, Xerox has the media that will give you optimum results from your printer:

- Paper
- Banner Vinyl/Scrim
- Self-Adhesive Vinyl/PVC
- and much more

Dimensions and Weight

Width, Depth, Height, Weight

8290 Wide Format Printer and Stand
145" (3,700 mm), 31" (787 mm), 49.2" (1,250 mm), 881 lbs. (400 kg)

8265 Wide Format Printer and Stand
122" (3,100 mm), 31" (787 mm), 49.2" (1,250 mm), 793 lbs. (360 kg)

Space Requirements

Height

- 78" (1,985 mm) clearance from floor to nearest overhead obstruction within the floor space requirement

Width

- 8290 Model: 199.2" (5,060 mm)
- 8265 Model: 183.3" (4,656 mm)

Depth

- 99.5" (2,528 mm), 36" behind the printer is recommended for media loading

Environmental Requirements

Temperature

- Minimum: 64° F/18° C
- Maximum: 80° F/27° C

Relative Humidity (% RH non-condensing)

- Minimum: 30 %
- Maximum: 65 % (no condensation)

Electrical Requirements

Single phase

- 2 wires plus safety ground

Current

- 15 A

Voltage

- 100–120 V +/-10 %

Frequency

- 50-60 Hz +/-10 %

Power Consumption

Standby

- 8290 Model: 100 W
- 8265 Model: 80 W

Printing

- 8290 Model: 1,400 W
- 8265 Model: 1,300 W

A 100–120 V/15A dedicated line should be used for power.

RIP Software (Optional)

	Xerox WFC Server RIP Pro v6.0 +	Xerox WFC Server RIP v6.0 +
ICC Profile Creation	Yes	No
ICC Profile Editing	Yes	Yes
Spot Color Mapping	Yes	Yes
Text Creation & Editing	Yes	No
Make Transparent Bitmap	Yes	No
Contour Cut Creation & Editing	Yes	No
Variable Data	Yes	No
Templates: Apply, Create, & Edit	Yes	No
Tiling and Nest Pages	Yes	Yes
Adobe® PostScript® 3™	Yes	Yes
Print Direct from Application	Yes	Yes
Mac® and PC Support	Yes	Yes
Multiple Printer Support	Up to 50 3 simultaneously	Up to 50 3 simultaneously



To learn more about the Xerox 8265/8290, visit www.xerox.com or call 800-ASK-XEROX.

© 2008 Xerox Corporation. All rights reserved. Xerox®, the sphere of connectivity design, 8265™, and 8290™ are trademarks of Xerox Corporation in the United States and/or other countries.

Adobe® and PostScript® 3™ are trademarks of Adobe Systems Incorporated. Mac® is a trademark of Macintosh. Product appearance, build status, and/or specifications are subject to change without notice. 10/08

610P729823